

Version: 21 / DK

Replaces Version: 20 / DK

Revision: 27.12.2018 Print date: 21.02.19

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Proterra Oil GE 11025-2001

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Surface treatment of wood and other materials

1.3. Details of the supplier of the safety data sheet

Manufacturer

 Hesse GmbH & Co. KG

 Warendorfer Strasse 21

 59075 Hamm

 Telephone no.
 +49 (0) 2381 963-00

 Fax no.
 +49 (0) 2381 963-849

 E-mail address
 ps@hesse-lignal.de

1.4. Emergency telephone number

Germany: +49 (0) 2381 788-612

2. Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

Supplemental information

EUH210 Safety data sheet available on request.

Further supplemental information

Cleaning cloth soaked with the product can self ignite during packing up, therefore dry the cloth on a line or through spreading and dispose of after dry up.

Young persons under 18 years may not work with this product.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB) (if not listed in Section 3).

3. Composition/information on ingredients

Hazardous ingredients (Regulation (EC) No. 1272/2008)

2-ethylhexanoic acid zirconium salt

CAS No.	22464-99-9			
EINECS no.	245-018-1			
Registration no.	01-2119979088-21			
Concentration	>= 1	<	3	%



Version: 21 / DK

Replaces Version: 20 / DK

Revision: 27.12.2018 Print date: 21.02.19

Classification (Regulation (EC) No. 1272/2008) Repr. 2 H361d

For explanation of abbreviations see section 16.

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) (if not listed in Section 3).

4. First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical attention. Get medical advice/attention if you feel unwell. First aider: Pay attention to self-protection! Remove affected person from danger area, lay him down.

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. Keep warm, calm and covered up. In all cases of doubt, or when symptoms persist, seek medical attention.

After skin contact

Wash off immediately with soap and water. Do NOT use solvents or thinners. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice. Take medical treatment.

After ingestion

Do not induce vomiting. Take medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. High concentration of vapours may cause irritation to eyes and respiratory system and produce narcotic effects.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / treatment

Treat symptomatically.

5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Recommended: alcohol resistant foam, CO2, powders, water spray/mist

Non suitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Fire will produce dense black smoke. In a fire, hazardous decomposition products may be produced. Exposure to decomposition products may cause a health hazard. Vapours can form an explosive mixture with air.

5.3. Advice for firefighters



Version: 21 / DK

Replaces Version: 20 / DK

Revision: 27.12.2018 Print date: 21.02.19

Special protective equipment for fire-fighting

In case of combustion evolution of dangerous gases possible. Use self-contained breathing apparatus. **Other information**

Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water. Standard procedure for chemical fires.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Do not inhale aerosols.

6.2. Environmental precautions

Do not allow to enter drains or waterways. Do not allow to enter soil, waterways or waste water canal. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Do NOT use solvents or thinners. Send in suitable containers for recovery or disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

7. Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Keep container tightly closed and dry in a cool, well-ventilated place. Use only with adequate ventilation/personal protection. Ensure adequate ventilation. Provide for sufficient ventilation. This can be achieved by local exhaust or general exhaust air collection. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values. Avoid contact with skin and eyes. Avoid inhalation of vapour and spray mist. Do no eat, drink or smoke when using this product. Use personal protective clothing. For personal protection see Section 8.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Vapours are heavier than air and may spread along floors. In addition, the product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Take measures to prevent the build up of electrostatic charge. Wear shoes with conductive soles. No sparking tools should be used. Fight fire with normal precautions from a reasonable distance. Do not process in the same cabin together with highly flammable material (e.g. CN lacquer) => fire hazard through self ignition! Cleaning cloth soaked with the product can self ignite during packing up, therefore dry the cloth on a line or through spreading and dispose of after dry up.

7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels

Provide solvent-resistant and impermeable floor. Keep only in the original container in a cool, well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.



Version: 21 / DK

Replaces Version: 20 / DK

Revision: 27.12.2018 Print date: 21.02.19

Hints on storage assembly

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

Further information on storage conditions

Protect from frost. Protect from heat and direct sunlight. Keep away from sources of ignition - No smoking. Store in accordance with the particular national regulations.

7.3. Specific end use(s)

See exposure scenario, if available.

8. Exposure controls/personal protection

8.1. Control parameters

Other information

Derived No/Minimal Effect Levels (DNEL/DMEL)

2-ethylhexanoic acid zirconium Type of value Reference group Duration of exposure Route of exposure Mode of action Concentration	salt Derived No Effect Level Workers (industrial) Long-term inhalative Systemic effects 32,97	(DNEL)	mg/m³
Type of value Reference group Duration of exposure Route of exposure Mode of action Concentration	Derived No Effect Level Workers (industrial) Long-term Dermal exposure Systemic effects 6,49	(DNEL)	mg/kg/d
Type of value Reference group Duration of exposure Route of exposure Mode of action Concentration	Derived No Effect Level Consumer Long-term Oral exposure Systemic effects 4,51	(DNEL)	mg/kg/d
Type of value Reference group Duration of exposure Route of exposure Mode of action Concentration	Derived No Effect Level Consumer Long-term inhalative Systemic effects 8,13	(DNEL)	mg/m³
Type of value Reference group Duration of exposure Route of exposure Mode of action Concentration	Derived No Effect Level Consumer Long-term Dermal exposure Systemic effects 3,25	(DNEL)	mg/kg/d



Version: 21 / DK

Replaces Version: 20 / DK

Revision: 27.12.2018 Print date: 21.02.19

Predicted No Effect Concentration (PNEC)

2-ethylhexanoic acid zirconium salt						
Type of value	PNEC					
Type	Freshwater					
Concentration	0,36	mg/l				
Type of value	PNEC					
Туре	Saltwater					
Concentration	0,036	mg/l				
	-,					
Type of value	PNEC					
Туре	Fresh water sediment					
Concentration	6,37	mg/kg				
Type of value	PNEC					
Туре	saltwater sediment					
Concentration	0,637	mg/kg				
T ()	DNEO					
Type of value	PNEC					
Type Concentration	Soil	ma/ka				
Concentration	1,06	mg/kg				
Type of value	PNEC					
Туре	Sewage treatment plant (STP)					
Concentration	71,7	mg/kg				
	, .					

8.2. Exposure controls

Exposure controls

Users are advised to consider national Occupational Exposure Limits or other equivalent values. Provide for sufficient ventilation. This can be achieved by local exhaust or general exhaust air collection. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values.

Respiratory protection

Avoid inhalation of vapour and spray mist. Use breathing apparatus if exposed to vapours/dust/aerosol. Recommended Filter type: Respiratory protection mask with combination filter A/P2

Hand protection

Protective gloves complying with EN 374.

Glove material			
Appropriate Material	Nitrile r	ubber	
Material thickness	>=	0,4	mm
Breakthrough time	>=	480	min

This recommendation is valid only for the product named in this safety data sheet supplied by us, and only for the indicated intended use purposes.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

The breakthrough time must be greater than the end use time of the product.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor



Version: 21 / DK

Replaces Version: 20 / DK

Revision: 27.12.2018 Print date: 21.02.19

maintenance.

Eye protection

Wear eye glasses with side protection according to EN 166.

Body protection

Wear suitable protective clothing. Remove contaminated clothing and wash it before reuse. Wash hands before breaks and after work.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	liquid				
Colour	yellow				
Odour	characteristic				
Odour threshold					
Remarks	not determined				
pH value					
Remarks	not determined				
Melting point					
Remarks	not determined				
Freezing point					
Remarks	not determined				
Initial boiling point and b	oiling range				
Remarks	not determined				
Flash point					
Value	> 60	°C			
Evaporation rate					
Remarks	not determined				
Flammability (solid, gas)					
not determined					
Upper/lower flammability	or explosive limits				
Remarks	not determined				
Vapour pressure					
Remarks	not determined				
Vapour density					
Remarks	not determined				
Density					
Value	appr. 0,949	kg/l			
Temperature	20 °C	5			
Solubility in water					
Remarks	not determined				
Solubility(ies)					
Remarks	not determined				
Partition coefficient: n-o	ctanol/water				
Remarks	not determined				



Version: 21 / DK

Replaces Version: 20 / DK

Revision: 27.12.2018 Print date: 21.02.19

Ignition temperature Remarks	not determined			
Decomposition temperature	not determined			
Remarks	not determined			
Viscosity	not determined			
•				
kinematic Value	26			mm²/s
Temperature	20 40	°C		11111-75
Efflux time	-	-		
Value	38	to	46	S
Temperature	20	°C		
Method	DIN EN ISO 2431	- 4 mm		
Explosive properties				
evaluation	not determined			
Oxidising properties				
Remarks	not determined			
9.2. Other information				
Non-volatile content				
Value	98,5			%
Method	calculated value			
Other information				
This information is not available.				
10. Stability and reactivity				
10.1. Reactivity Stable under recommended store	age and handling c	ondition	s (see secti	ion 7).
10.2. Chemical stability Stable under normal conditions.				
10.3. Possibility of hazardous re To avoid thermal decomposition,				
10.4. Conditions to avoid				
Isolate from sources of heat, spa	rks and open flame			
Decomposition temperature	·			
Remarks	not determined			
10.5. Incompatible materials				
Keep away from oxidising agents exothermic reactions.	s, strongly alkaline	and stro	ngly acid m	aterials in order to avoid
10.6. Hazardous decomposition Carbon monoxide and carbon did used as prescribed.		s (NOx)	, dense bla	ck smoke, No decomposition if
11. Toxicological information				
	Page 7(11)		
	3 (,		



Trade name: Proterra Oil GE 11025-2001 Version: 21 / DK Revision: 27.12.2018 Replaces Version: 20 / DK Print date: 21.02.19 11.1. Information on toxicological effects Acute oral toxicity Method Calculation method (Regulation (EC) No. 1272/2008) Remarks Based on available data, the classification criteria are not met. Acute dermal toxicity Method Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met. Remarks Acute inhalational toxicity Method Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met. Remarks Skin corrosion/irritation Method Calculation method (Regulation (EC) No. 1272/2008) Remarks Based on available data, the classification criteria are not met. Serious eye damage/irritation Method Calculation method (Regulation (EC) No. 1272/2008) Remarks Based on available data, the classification criteria are not met. Sensitization Method Calculation method (Regulation (EC) No. 1272/2008) Remarks Based on available data, the classification criteria are not met. Mutagenicity Method Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met. Remarks **Reproductive toxicity** Method Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met. Remarks **Reproduction toxicity (Components)** 2-ethylhexanoic acid zirconium salt Toxic to Reproduction Category 2 evaluation Carcinogenicity Method Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met. Remarks Specific Target Organ Toxicity (STOT) Calculation method (Regulation (EC) No. 1272/2008) Method Remarks Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Other information No toxicological data are available. 12. Ecological information 12.1. Toxicity **General information**

For this subsection there is no ecotoxicological data available on the product as such.



Trade name: Proterra Oil GE 110	25-2001			
Version: 21 / DK	20 2001			Revision: 27.12.2018
Replaces Version: 20 / DK				Print date: 21.02.19
Bacteria toxicity (Comp	onents)			
linseed oil	·			
Species	Pseudomor			
EC10	670	000	mg/l	
12.2. Persistence and deg	jradability			
General information				
For this subsection there Ready degradability (Co		ogical data available	e on the product as su	ich.
linseed oil				
Value	appr. 40		%	
12.3. Bioaccumulative po General information	tential			
For this subsection there Partition coefficient: n- Remarks			e on the product as su	ich.
12.4. Mobility in soil General information				
For this subsection there Mobility in soil no data available	e is no ecotoxicolo	ogical data available	e on the product as su	ich.
12.5. Results of PBT and General information	vPvB assessi	ment		
For this subsection there	is no ecotoxicolo	ogical data available	e on the product as su	ich.
12.6. Other adverse effect General information / e				
For this subsection there	•••	ogical data available	e on the product as su	ich.
	_	-		
13. Disposal consideration	15			
13.1. Waste treatment me				
Disposal recommendat	ions for the pro	oduct		
EWC waste code		solvents or othe	paint and varnish con r dangerous substanc	es
EWC waste code		dangerous subs		esins containing
Where possible recycling Do not allow to enter dra			ion.	
modified product				
EWC waste code		solvents or othe	es from paint or varnish er dangerous substanc	es
EWC waste code		080115 - aqueo	us sludges containing nic solvents or other d	paint or varnish
Dried residues		0 0		-



Version: 21 / DK

Replaces Version: 20 / DK

Revision: 27.12.2018 Print date: 21.02.19

EWC waste code

080112 - waste lacquers and waste paint except those falling under 080111

Disposal recommendations for packaging

EWC waste code 150110 - packaging containing residues of or contaminated by dangerous substances

Completely emptied packagings can be given for recycling.

14. Transport information

Land transport ADR/RID

Not classified as dangerous in the meaning of transport regulations.

Marine transport IMDG/GGVSee

Not classified as dangerous in the meaning of sea and air transport regulations.

Air transport ICAO/IATA

Not a dangerous substance as defined in the above regulations.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC

VOC (EU)	1,1	%	11	g/l
MAL-Code				
MAL-Code	0-1			
MAL	51,7 m³/l			

Other information

All components are contained in the TSCA inventory or exempted.

15.2. Chemical safety assessment

For this substance / mixture a chemical safety assessment was not carried out.

16. Other information

H361d

Hazard statements listed in Chapter 3

Suspected of damaging the unborn child.

CLP categories listed in Chapter 3

Repr. 2 Reproductive toxicity, Category 2

Abbreviations

ADR - Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID - Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning theInternational Transport of Dangerous Goods by Rail) IMDG - International Maritime Code for Dangerous Goods IATA - International Air Transport Association IATA-DGR - Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO-TI - Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS - Globally Harmonized System of Classification and Labelling of Chemicals EINECS - European Inventory of Existing Commercial Chemical Substances CAS - Chemical Abstracts Service (division of the American Chemical Society)

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: Proterra Oil GE 11025-2001

Version: 21 / DK

Replaces Version: 20 / DK

Revision: 27.12.2018 Print date: 21.02.19

GefStoffV - Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) LOAEL - Lowest Observed Adverse Effect Level NOAEL - No Observed Effect Level NOEC - No Observed Effect Concentration NOEL - No Observed Effect Level OECD - Organisation for Econpmic Cooperation and Development VOC - Volatile Organic Compounds Changes since the last version are highlighted in the margin (***). This version replaces all previous versions. This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.

The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

The information contained herein is based on the present state of our knowledge and does therefore not guarantee certain properties.